

Washington State HIV/AIDS Surveillance Report - 08/31/2006
Washington State Department of Health

Table 1. HIV¹ and AIDS CASES DIAGNOSED, KNOWN DEATHS, AND CASES PRESUMED LIVING

Year ⁵	TOTAL CASES (& CASE FATALITY RATE ²) DIAGNOSED DURING INTERVAL ³					DEATHS OCCURRING DURING INTERVAL ⁴		CASES PRESUMED LIVING DIAGNOSED DURING INTERVAL ³		
	HIV ¹		AIDS		HIV/AIDS Total	HIV ¹		HIV ¹		HIV/AIDS Total
	No.	(%)	No.	(%)		No.	No.	No.	No.	
1982	2	0%	1	(100%)	3	0	0	2	0	2
1983	4	(25%)	22	(100%)	26	0	7	3	0	3
1984	8	0%	77	(97%)	85	0	31	8	2	10
1985	63	(11%)	132	(98%)	195	0	81	56	3	59
1986	55	(13%)	247	(98%)	302	0	126	48	5	53
1987	61	(16%)	368	(96%)	429	2	188	51	15	66
1988	77	(16%)	493	(94%)	570	5	236	65	28	93
1989	97	(15%)	611	(92%)	708	7	309	82	49	131
1990	117	(15%)	733	(91%)	850	6	371	99	63	162
1991	135	(13%)	835	(88%)	970	4	461	118	98	216
1992	121	(12%)	897	(79%)	1,018	6	515	107	185	292
1993	100	(9%)	943	(72%)	1,043	12	617	91	268	359
1994	162	(7%)	853	(60%)	1,015	7	676	151	344	495
1995	173	(5%)	754	(43%)	927	5	665	164	429	593
1996	213	(6%)	661	(30%)	874	3	495	201	465	666
1997	221	(5%)	511	(23%)	732	9	226	210	395	605
1998	215	(2%)	385	(25%)	600	5	167	210	288	498
1999	266	(2%)	351	(25%)	617	6	137	260	265	525
2000	332	(4%)	431	(21%)	763	30	165	319	342	661
2001	306	(1%)	387	(16%)	693	20	153	302	325	627
2002	300	(2%)	414	(13%)	714	17	157	293	361	654
2003	316	(1%)	421	(11%)	737	27	184	314	375	689
2004	318	0%	405	(9%)	723	6	153	318	370	688
2005	376	(1%)	412	(7%)	788	13	132	372	385	757
2006	207	0%	203	(1%)	410	5	34	206	201	407
TOTAL	4,245	(5%)	11,547	(54%)	15,792	195	6,286	4,050	5,261	9,311

Table 2. HIV¹ and AIDS CASES, GENDER BY AGE AT DIAGNOSIS

	HIV ¹						AIDS					
	Male		Female		Total		Male		Female		Total	
	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)
0-12	19	0%	20	0%	39	(1%)	15	0%	17	0%	32	0%
13-19	63	(1%)	34	(1%)	97	(2%)	34	0%	14	0%	48	0%
20-29	1,150	(27%)	230	(5%)	1,380	(33%)	1,682	(15%)	238	(2%)	1,920	(17%)
30-39	1,474	(35%)	184	(4%)	1,658	(39%)	4,815	(42%)	398	(3%)	5,213	(45%)
40-49	721	(17%)	108	(3%)	829	(20%)	2,846	(25%)	242	(2%)	3,088	(27%)
50-59	178	(4%)	33	(1%)	211	(5%)	853	(7%)	100	(1%)	953	(8%)
60+	27	(1%)	4	0%	31	(1%)	255	(2%)	38	0%	293	(3%)
TOTAL	3,632	(86%)	613	(14%)	4,245	(100%)	10,500	(91%)	1,047	(9%)	11,547	(100%)

Notes:

1 Includes persons reported with HIV infection who are not known to have progressed to AIDS as of this report date. Does not include those who have only been tested anonymously for HIV.

2 Case fatality rate is the proportion of HIV or AIDS patients diagnosed during interval who are known to have died at some time since diagnosis.

3 Year of diagnosis reflects the time at which HIV infection or AIDS was diagnosed by a health care provider. Year of report (not shown above) reflects the time at which a case report was received by the Department of Health.

4 Includes deaths among HIV or AIDS patients diagnosed during that interval or any preceding interval.

5 Reporting delay is the period between the date a reportable disease is diagnosed by a physician and the date that the diagnosis is reported to public health officials. Cases counts for more recent time periods are considered to be incomplete due to reporting delays.

Washington State HIV/AIDS Surveillance Report - 08/31/2006
Washington State Department of Health

Tables 3. HIV¹ CASES, RACE/ETHNICITY¹⁰ AND EXPOSURE CATEGORY⁶

	<u>Adult/Adolescent</u>				<u>Pediatric</u>		<u>Total</u>	
	Male	(%)	Female	(%)	No.	(%)	No.	(%)
<u>Race/Ethnicity</u>								
White, not Hispanic	2,707	(75%)	296	(50%)	11	(28%)	3,014	(71%)
Black, not Hispanic	420	(12%)	195	(33%)	19	(48%)	634	(15%)
Hispanic (All Races)	303	(8%)	55	(9%)	6	(15%)	364	(9%)
Asian/Pacific Islander	2	0%	4	(1%)	0	0%	6	0%
Asian	85	(2%)	11	(2%)	4	(10%)	100	(2%)
Hawaiian/Pacific Islander	8	0%	1	0%	0	0%	9	0%
Native American/Alaskan	34	(1%)	26	(4%)	0	0%	60	(1%)
Multi-race	19	(1%)	2	0%	0	0%	21	0%
Unknown	34	(1%)	3	(1%)	0	0%	37	(1%)
Total	3,612	(100%)	593	(100%)	40	(100%)	4,245	(100%)
<u>Exposure Category</u>								
Male/male sex (MSM)	2,672	(74%)	0	0%	0	0%	2,672	(63%)
Injecting Drug Use (IDU)	233	(6%)	141	(24%)	0	0%	374	(9%)
MSM and IDU	341	(9%)	0	0%	0	0%	341	(8%)
Transfusion/Transplant	8	0%	10	(2%)	0	0%	18	0%
Hemophilia	9	0%	1	0%	1	(3%)	11	0%
Heterosexual Contact	129	(4%)	293	(49%)	0	0%	422	(10%)
Mother at Risk for HIV	0	0%	0	0%	34	(85%)	34	(1%)
No Identified Risk/Other	220	(6%)	148	(25%)	5	(13%)	373	(9%)
Total	3,612	(100%)	593	(100%)	40	(100%)	4,245	(100%)

Tables 4. AIDS CASES, RACE/ETHNICITY¹⁰ AND EXPOSURE CATEGORY⁶

	<u>Adult/Adolescent</u>				<u>Pediatric</u>		<u>Total</u>	
	Male	(%)	Female	(%)	No.	(%)	No.	(%)
<u>Race/Ethnicity</u>								
White, not Hispanic	8,301	(79%)	556	(54%)	15	(47%)	8,872	(77%)
Black, not Hispanic	1,021	(10%)	283	(27%)	10	(31%)	1,314	(11%)
Hispanic (All Races)	765	(7%)	93	(9%)	4	(13%)	862	(7%)
Asian/Pacific Islander	31	0%	13	(1%)	1	(3%)	45	0%
Asian	139	(1%)	18	(2%)	0	0%	157	(1%)
Hawaiian/Pacific Islander	21	0%	8	(1%)	0	0%	29	0%
Native American/Alaskan	161	(2%)	52	(5%)	1	(3%)	214	(2%)
Multi-race	36	0%	5	0%	1	(3%)	42	0%
Unknown	10	0%	2	0%	0	0%	12	0%
Total	10,485	(100%)	1,030	(100%)	32	(100%)	11,547	(100%)
<u>Exposure Category</u>								
Male/male sex (MSM)	7,593	(72%)	0	0%	0	0%	7,593	(66%)
Injecting Drug Use (IDU)	756	(7%)	296	(29%)	0	0%	1,052	(9%)
MSM and IDU	1,150	(11%)	0	0%	0	0%	1,150	(10%)
Transfusion/Transplant	73	(1%)	53	(5%)	0	0%	126	(1%)
Hemophilia	83	(1%)	4	0%	4	(13%)	91	(1%)
Heterosexual Contact	312	(3%)	511	(50%)	0	0%	823	(7%)
Mother at Risk for HIV	1	0%	0	0%	28	(88%)	29	0%
No Identified Risk/Other	517	(5%)	166	(16%)	0	0%	683	(6%)
Total	10,485	(100%)	1,030	(100%)	32	(100%)	11,547	(100%)

Notes:

1 Includes persons reported with HIV infection who are not known to have progressed to AIDS as of this report date. Does not include those who have only been tested anonymously for HIV.

6 Heterosexual Contact refers to contact with a person who is known to be HIV infected or at increased risk for HIV infection. No Identified Risk includes patients for whom risk information is incomplete, cases still under investigation, and interviewed patients with no recognized HIV exposure category.

10 Collection and presentation of race/ethnicity data have been adjusted to be consistent with Census 2000 data collection and presentation methods. Consequently, data for Asian/Pacific Islanders are now collected and presented in two separate categories ("Asian" and "Hawaiian/Pacific Islander"), while historical data are presented in the "Asian/Pacific Islander" category. Those who report more than one race are presented in the "Multi-race" category.

Washington State HIV/AIDS Surveillance Report - 08/31/2006

Washington State Department of Health

Table 5. HIV¹ AND AIDS CASES DIAGNOSED, KNOWN DEATHS, AND CASES PRESUMED LIVING, BY COUNTY OF RESIDENCE ⁸ AT DIAGNOSIS

	CASES DIAGNOSED					DEATHS				PRESUMED LIVING				
	HIV ¹		AIDS		HIV/AIDS Total	HIV ¹		AIDS		HIV ¹		AIDS		HIV/AIDS Total
	No.	(%)	No.	(%)		No.	(%)	No.	(%)	No.	(%)	No.	(%)	
Region 1	171	(4.0%)	648	(5.6%)	819	13	(6.7%)	353	(5.6%)	158	(3.9%)	295	(5.6%)	453
ADAMS CO.	1	0.0%	5	0.0%	6	0	0.0%	1	0.0%	1	0.0%	4	(0.1%)	5
ASOTIN CO.	4	(0.1%)	16	(0.1%)	20	1	(0.5%)	6	(0.1%)	3	(0.1%)	10	(0.2%)	13
COLUMBIA CO.	1	0.0%	4	0.0%	5	1	(0.5%)	3	0.0%	0	0.0%	1	0.0%	1
FERRY CO.	0	0.0%	7	(0.1%)	7	0	0.0%	6	(0.1%)	0	0.0%	1	0.0%	1
GARFIELD CO.	1	0.0%	0	0.0%	1	0	0.0%	0	0.0%	1	0.0%	0	0.0%	1
LINCOLN CO.	0	0.0%	4	0.0%	4	0	0.0%	2	0.0%	0	0.0%	2	0.0%	2
OKANOGAN CO.	8	(0.2%)	26	(0.2%)	34	0	0.0%	9	(0.1%)	8	(0.2%)	17	(0.3%)	25
PEND OREILLE CO.	0	0.0%	8	(0.1%)	8	0	0.0%	5	(0.1%)	0	0.0%	3	(0.1%)	3
SPOKANE CO.	143	(3.4%)	491	(4.3%)	634	10	(5.1%)	279	(4.4%)	133	(3.3%)	212	(4.0%)	345
STEVENS CO.	5	(0.1%)	19	(0.2%)	24	0	0.0%	10	(0.2%)	5	(0.1%)	9	(0.2%)	14
WALLA WALLA CO.	7	(0.2%)	53	(0.5%)	60	1	(0.5%)	28	(0.4%)	6	(0.1%)	25	(0.5%)	31
WHITMAN CO.	1	0.0%	15	(0.1%)	16	0	0.0%	4	(0.1%)	1	0.0%	11	(0.2%)	12
Region 2	134	(3.2%)	395	(3.4%)	529	8	(4.1%)	188	(3.0%)	126	(3.1%)	207	(3.9%)	333
BENTON CO.	27	(0.6%)	81	(0.7%)	108	2	(1.0%)	37	(0.6%)	25	(0.6%)	44	(0.8%)	69
CHELAN CO.	16	(0.4%)	38	(0.3%)	54	1	(0.5%)	22	(0.3%)	15	(0.4%)	16	(0.3%)	31
DOUGLAS CO.	2	0.0%	2	0.0%	4	0	0.0%	2	0.0%	2	0.0%	0	0.0%	2
FRANKLIN CO.	20	(0.5%)	49	(0.4%)	69	1	(0.5%)	16	(0.3%)	19	(0.5%)	33	(0.6%)	52
GRANT CO.	10	(0.2%)	32	(0.3%)	42	1	(0.5%)	19	(0.3%)	9	(0.2%)	13	(0.2%)	22
KITTITAS CO.	4	(0.1%)	18	(0.2%)	22	0	0.0%	9	(0.1%)	4	(0.1%)	9	(0.2%)	13
Klickitat CO.	5	(0.1%)	9	(0.1%)	14	0	0.0%	6	(0.1%)	5	(0.1%)	3	(0.1%)	8
YAKIMA CO.	50	(1.2%)	166	(1.4%)	216	3	(1.5%)	77	(1.2%)	47	(1.2%)	89	(1.7%)	136
Region 3	328	(7.7%)	949	(8.2%)	1,277	22	(11.3%)	474	(7.5%)	306	(7.6%)	475	(9.0%)	781
ISLAND CO.	16	(0.4%)	58	(0.5%)	74	1	(0.5%)	33	(0.5%)	15	(0.4%)	25	(0.5%)	40
SAN JUAN CO.	7	(0.2%)	18	(0.2%)	25	1	(0.5%)	10	(0.2%)	6	(0.1%)	8	(0.2%)	14
SKAGIT CO.	24	(0.6%)	63	(0.5%)	87	3	(1.5%)	33	(0.5%)	21	(0.5%)	30	(0.6%)	51
SNOHOMISH CO.	227	(5.3%)	658	(5.7%)	885	14	(7.2%)	319	(5.1%)	213	(5.3%)	339	(6.4%)	552
WHATCOM CO.	54	(1.3%)	152	(1.3%)	206	3	(1.5%)	79	(1.3%)	51	(1.3%)	73	(1.4%)	124
Region 4 (King Co.)	2,770	(65.3%)	7,377	(63.9%)	10,147	111	(56.9%)	4,115	(65.5%)	2,659	(65.7%)	3,262	(62.0%)	5,921
KING CO.	2,770	(65.3%)	7,377	(63.9%)	10,147	111	(56.9%)	4,115	(65.5%)	2,659	(65.7%)	3,262	(62.0%)	5,921
Region 5	486	(11.4%)	1,218	(10.5%)	1,704	29	(14.9%)	674	(10.7%)	457	(11.3%)	544	(10.3%)	1,001
KITSAP CO.	74	(1.7%)	211	(1.8%)	285	1	(0.5%)	116	(1.8%)	73	(1.8%)	95	(1.8%)	168
PIERCE CO.	412	(9.7%)	1,007	(8.7%)	1,419	28	(14.4%)	558	(8.9%)	384	(9.5%)	449	(8.5%)	833
Region 6	356	(8.4%)	960	(8.3%)	1,316	12	(6.2%)	482	(7.7%)	344	(8.5%)	478	(9.1%)	822
CLALLAM CO.	21	(0.5%)	55	(0.5%)	76	2	(1.0%)	31	(0.5%)	19	(0.5%)	24	(0.5%)	43
CLARK CO.	167	(3.9%)	415	(3.6%)	582	2	(1.0%)	213	(3.4%)	165	(4.1%)	202	(3.8%)	367
COWLITZ CO.	39	(0.9%)	90	(0.8%)	129	1	(0.5%)	51	(0.8%)	38	(0.9%)	39	(0.7%)	77
GRAYS HARBOR CO.	17	(0.4%)	58	(0.5%)	75	1	(0.5%)	32	(0.5%)	16	(0.4%)	26	(0.5%)	42
JEFFERSON CO.	10	(0.2%)	23	(0.2%)	33	2	(1.0%)	15	(0.2%)	8	(0.2%)	8	(0.2%)	16
LEWIS CO.	10	(0.2%)	41	(0.4%)	51	1	(0.5%)	25	(0.4%)	9	(0.2%)	16	(0.3%)	25
MASON CO.	21	(0.5%)	77	(0.7%)	98	0	0.0%	23	(0.4%)	21	(0.5%)	54	(1.0%)	75
PACIFIC CO.	9	(0.2%)	17	(0.1%)	26	1	(0.5%)	10	(0.2%)	8	(0.2%)	7	(0.1%)	15
SKAMANIA CO.	0	0.0%	7	(0.1%)	7	0	0.0%	5	(0.1%)	0	0.0%	2	0.0%	2
THURSTON CO.	61	(1.4%)	175	(1.5%)	236	2	(1.0%)	77	(1.2%)	59	(1.5%)	98	(1.9%)	157
WAHKIAKUM CO.	1	0.0%	2	0.0%	3	0	0.0%	0	0.0%	1	0.0%	2	0.0%	3
STATE TOTAL	4,245	(100.0%)	11,547	(100.0%)	15,792	195	(100.0%)	6,286	(100.0%)	4,050	(100.0%)	5,261	(100.0%)	9,311

Notes:

1 Includes persons reported with HIV infection who are not known to have progressed to AIDS as of this report date. Does not include those who have only been tested anonymously for HIV.

8 County of residence at the time of testing positive for HIV (HIV cases) or at the time of AIDS diagnosis (AIDS cases). May not reflect where people are currently residing.

Washington State HIV/AIDS Surveillance Report - 08/31/2006

Washington State Department of Health

Table 6. HIV¹ CASES, YEAR OF DIAGNOSIS³ BY GENDER, RACE/ETHNICITY¹⁰, EXPOSURE CATEGORY⁶, AND AIDSNET REGION OF RESIDENCE⁹ AT DIAGNOSIS

	1982-1989		1990-1997		1998 - Current ⁵		Cumulative		2002		2003		2004		2005 ⁵		2006 YTD ⁵	
	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)
<u>Race/Ethnicity</u>																		
White, not Hispanic	316	(86%)	954	(77%)	1,744	(66%)	3,014	(71%)	191	(64%)	209	(66%)	195	(61%)	242	(64%)	131	(63%)
Black, not Hispanic	33	(9%)	150	(12%)	451	(17%)	634	(15%)	65	(22%)	59	(19%)	60	(19%)	67	(18%)	29	(14%)
Hispanic (All Races)	9	(2%)	86	(7%)	269	(10%)	364	(9%)	25	(8%)	30	(9%)	34	(11%)	43	(11%)	28	(14%)
Asian/Pacific Islander	0	0%	1	0%	5	0%	6	0%	0	0%	0	0%	0	0%	0	0%	0	0%
Asian	2	(1%)	23	(2%)	75	(3%)	100	(2%)	7	(2%)	9	(3%)	11	(3%)	10	(3%)	6	(3%)
Hawaiian/Pacific Islander	1	0%	0	0%	8	0%	9	0%	0	0%	2	(1%)	0	0%	2	(1%)	2	(1%)
Native American/Alaskan	4	(1%)	16	(1%)	40	(2%)	60	(1%)	6	(2%)	5	(2%)	9	(3%)	3	(1%)	3	(1%)
Multi-race	0	0%	3	0%	18	(1%)	21	0%	4	(1%)	1	0%	6	(2%)	3	(1%)	3	(1%)
Unknown	2	(1%)	9	(1%)	26	(1%)	37	(1%)	2	(1%)	1	0%	3	(1%)	6	(2%)	5	(2%)
Total	367	(100%)	1,242	(100%)	2,636	(100%)	4,245	(100%)	300	(100%)	316	(100%)	318	(100%)	376	(100%)	207	(100%)
<u>Gender</u>																		
Male	338	(92%)	1,048	(84%)	2,246	(85%)	3,632	(86%)	257	(86%)	269	(85%)	272	(86%)	319	(85%)	174	(84%)
Female	29	(8%)	194	(16%)	390	(15%)	613	(14%)	43	(14%)	47	(15%)	46	(14%)	57	(15%)	33	(16%)
Total	367	(100%)	1,242	(100%)	2,636	(100%)	4,245	(100%)	300	(100%)	316	(100%)	318	(100%)	376	(100%)	207	(100%)
<u>Exposure Category</u>																		
Male/male sex (MSM)	256	(70%)	770	(62%)	1,646	(62%)	2,672	(63%)	195	(65%)	198	(63%)	192	(60%)	220	(59%)	128	(62%)
Injecting Drug Use (IDU)	34	(9%)	126	(10%)	214	(8%)	374	(9%)	25	(8%)	23	(7%)	27	(8%)	21	(6%)	18	(9%)
MSM and IDU	42	(11%)	98	(8%)	201	(8%)	341	(8%)	23	(8%)	23	(7%)	25	(8%)	38	(10%)	14	(7%)
Transfusion/Transplant	3	(1%)	6	0%	9	0%	18	0%	1	0%	0	0%	2	(1%)	3	(1%)	0	0%
Hemophilia	7	(2%)	3	0%	1	0%	11	0%	0	0%	0	0%	0	0%	0	0%	0	0%
Heterosexual Contact	11	(3%)	124	(10%)	287	(11%)	422	(10%)	37	(12%)	36	(11%)	34	(11%)	36	(10%)	21	(10%)
Mother at Risk for HIV	3	(1%)	22	(2%)	9	0%	34	(1%)	0	0%	1	0%	1	0%	0	0%	1	0%
No Identified Risk/Other	11	(3%)	93	(7%)	269	(10%)	373	(9%)	19	(6%)	35	(11%)	37	(12%)	58	(15%)	25	(12%)
Total	367	(100%)	1,242	(100%)	2,636	(100%)	4,245	(100%)	300	(100%)	316	(100%)	318	(100%)	376	(100%)	207	(100%)
<u>AIDSNET Region</u>																		
Region 1	19	(5%)	50	(4%)	102	(4%)	171	(4%)	13	(4%)	14	(4%)	17	(5%)	11	(3%)	7	(3%)
Region 2	9	(2%)	37	(3%)	88	(3%)	134	(3%)	12	(4%)	7	(2%)	8	(3%)	18	(5%)	4	(2%)
Region 3	28	(8%)	110	(9%)	190	(7%)	328	(8%)	14	(5%)	24	(8%)	23	(7%)	32	(9%)	19	(9%)
Region 4 (King Co.)	249	(68%)	779	(63%)	1,742	(66%)	2,770	(65%)	200	(67%)	203	(64%)	218	(69%)	229	(61%)	127	(61%)
Region 5	33	(9%)	161	(13%)	292	(11%)	486	(11%)	37	(12%)	40	(13%)	22	(7%)	48	(13%)	28	(14%)
Region 6	29	(8%)	105	(8%)	222	(8%)	356	(8%)	24	(8%)	28	(9%)	30	(9%)	38	(10%)	22	(11%)
Total	367	(100%)	1,242	(100%)	2,636	(100%)	4,245	(100%)	300	(100%)	316	(100%)	318	(100%)	376	(100%)	207	(100%)

Notes:
1 This includes persons reported with HIV infection who are not known to have progressed to AIDS as of this report date. It does not include those who have only been tested anonymously for HIV.

3 Year of diagnosis reflects the time at which disease was diagnosed by a provider. Year of report (not shown above) reflects the time at which a case report was received by the Department of Health. Reporting delay is the period between the date a reportable disease is diagnosed by a physician and the date that the diagnosis is reported to public health officials. Cases counts for more recent time periods are considered to be incomplete due to reporting delays.

5 Reporting delay is the period between the date a reportable disease is diagnosed by a physician and the date that the diagnosis is reported to public health officials. Cases counts for more recent time periods are considered to be incomplete due to reporting delays.

6 Heterosexual Contact with a person who is known to be HIV infected or at increased risk for HIV infection. No Identified Risk includes patients for whom risk information is incomplete, cases still under investigation, and interviewed patients with no recognized HIV exposure category.

9 AIDSNET Region of residence at the time of testing positive for HIV (HIV cases) or at the time of AIDS diagnosis (AIDS cases). May not reflect where people are currently residing.

10 Collection and presentation of race/ethnicity data have been adjusted to be consistent with Census 2000 data collection and presentation methods. Consequently, data for Asian/Pacific Islanders are now collected and presented in two separate categories ("Asian" and "Hawaiian/Pacific Islander"), while historical data are presented in the "Asian/Pacific Islander" category. Those who report more than one race are presented in the "Multi-race" category.

Washington State HIV/AIDS Surveillance Report - 08/31/2006

Washington State Department of Health

Table 7. AIDS CASES, YEAR OF DIAGNOSIS³ BY GENDER, RACE/ETHNICITY¹⁰, EXPOSURE CATEGORY⁶, AND AIDSNET REGION OF RESIDENCE⁹ AT DIAGNOSIS

	1982-1989		1990-1997		1998 - Current ⁵		Cumulative		2002		2003		2004		2005 ⁵		2006 YTD ⁵	
	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)	No.	(%)
<u>Race/Ethnicity</u>																		
White, not Hispanic	1,709	(88%)	4,917	(79%)	2,246	(66%)	8,872	(77%)	266	(64%)	271	(64%)	269	(66%)	259	(63%)	128	(63%)
Black, not Hispanic	129	(7%)	606	(10%)	579	(17%)	1,314	(11%)	74	(18%)	68	(16%)	66	(16%)	75	(18%)	37	(18%)
Hispanic (All Races)	76	(4%)	417	(7%)	369	(11%)	862	(7%)	43	(10%)	54	(13%)	42	(10%)	43	(10%)	20	(10%)
Asian/Pacific Islander	3	0%	31	(1%)	11	0%	45	0%	3	(1%)	1	0%	0	0%	1	0%	0	0%
Asian	11	(1%)	68	(1%)	78	(2%)	157	(1%)	13	(3%)	9	(2%)	9	(2%)	18	(4%)	11	(5%)
Hawaiian/Pacific Islander	5	0%	9	0%	15	0%	29	0%	2	0%	5	(1%)	2	0%	1	0%	1	0%
Native American/Alaskan	16	(1%)	117	(2%)	81	(2%)	214	(2%)	11	(3%)	10	(2%)	10	(2%)	10	(2%)	4	(2%)
Multi-race	2	0%	20	0%	20	(1%)	42	0%	1	0%	3	(1%)	5	(1%)	5	(1%)	2	(1%)
Unknown	0	0%	2	0%	10	0%	12	0%	1	0%	0	0%	2	0%	0	0%	0	0%
Total	1,951	(100%)	6,187	(100%)	3,409	(100%)	11,547	(100%)	414	(100%)	421	(100%)	405	(100%)	412	(100%)	203	(100%)
<u>Gender</u>																		
Male	1,889	(97%)	5,694	(92%)	2,917	(86%)	10,500	(91%)	343	(83%)	354	(84%)	337	(83%)	357	(87%)	170	(84%)
Female	62	(3%)	493	(8%)	492	(14%)	1,047	(9%)	71	(17%)	67	(16%)	68	(17%)	55	(13%)	33	(16%)
Total	1,951	(100%)	6,187	(100%)	3,409	(100%)	11,547	(100%)	414	(100%)	421	(100%)	405	(100%)	412	(100%)	203	(100%)
<u>Exposure Category</u>																		
Male/male sex (MSM)	1,499	(77%)	4,225	(68%)	1,869	(55%)	7,593	(66%)	220	(53%)	236	(56%)	213	(53%)	220	(53%)	93	(46%)
Injecting Drug Use (IDU)	82	(4%)	575	(9%)	395	(12%)	1,052	(9%)	47	(11%)	45	(11%)	44	(11%)	46	(11%)	18	(9%)
MSM and IDU	234	(12%)	612	(10%)	304	(9%)	1,150	(10%)	37	(9%)	36	(9%)	33	(8%)	40	(10%)	23	(11%)
Transfusion/Transplant	47	(2%)	64	(1%)	15	0%	126	(1%)	1	0%	1	0%	3	(1%)	2	0%	1	0%
Hemophilia	30	(2%)	52	(1%)	9	0%	91	(1%)	0	0%	1	0%	1	0%	1	0%	0	0%
Heterosexual Contact	29	(1%)	372	(6%)	422	(12%)	823	(7%)	71	(17%)	55	(13%)	55	(14%)	54	(13%)	23	(11%)
Mother at Risk for HIV	8	0%	18	0%	3	0%	29	0%	0	0%	0	0%	0	0%	1	0%	0	0%
No Identified Risk/Other	22	(1%)	269	(4%)	392	(11%)	683	(6%)	38	(9%)	47	(11%)	56	(14%)	48	(12%)	45	(22%)
Total	1,951	(100%)	6,187	(100%)	3,409	(100%)	11,547	(100%)	414	(100%)	421	(100%)	405	(100%)	412	(100%)	203	(100%)
<u>AIDSNET Region</u>																		
Region 1	79	(4%)	343	(6%)	226	(7%)	648	(6%)	26	(6%)	27	(6%)	30	(7%)	30	(7%)	13	(6%)
Region 2	48	(2%)	191	(3%)	156	(5%)	395	(3%)	15	(4%)	20	(5%)	23	(6%)	20	(5%)	11	(5%)
Region 3	111	(6%)	514	(8%)	324	(10%)	949	(8%)	41	(10%)	36	(9%)	40	(10%)	57	(14%)	25	(12%)
Region 4 (King Co.)	1,434	(74%)	3,964	(64%)	1,979	(58%)	7,377	(64%)	246	(59%)	272	(65%)	225	(56%)	217	(53%)	117	(58%)
Region 5	171	(9%)	644	(10%)	403	(12%)	1,218	(11%)	37	(9%)	39	(9%)	45	(11%)	43	(10%)	20	(10%)
Region 6	108	(6%)	531	(9%)	321	(9%)	960	(8%)	49	(12%)	27	(6%)	42	(10%)	45	(11%)	17	(8%)
Total	1,951	(100%)	6,187	(100%)	3,409	(100%)	11,547	(100%)	414	(100%)	421	(100%)	405	(100%)	412	(100%)	203	(100%)

Notes:

3 Year of diagnosis reflects the time at which disease was diagnosed by a provider. Year of report (not shown above) reflects the time at which a case report was received by the Department of Health. Reporting delay is the per between the date a reportable disease is diagnosed by a physician and the date that the diagnosis is reported to public health officials. Cases counts for more recent time periods are considered to be incomplete due to reporting delays.

5 Reporting delay is the period between the date a reportable disease is diagnosed by a physician and the date that the diagnosis is reported to public health officials. Cases counts for more recent time periods are considered to be incomplete due to reporting delays.

6 Heterosexual Contact with a person who is known to be HIV infected or at increased risk for HIV infection. No Identified Risk includes patients for whom risk information is incomplete, cases still under investigation, and interviewed patients with no recognized HIV exposure category.

9 AIDSNET Region of residence at the time of testing positive for HIV (HIV cases) or at the time of AIDS diagnosis (AIDS cases). May not reflect where people are currently residing.

10 Collection and presentation of race/ethnicity data have been adjusted to be consistent with Census 2000 data collection and presentation methods. Consequently, data for Asian/Pacific Islanders are now collected and presented in two separate categories ("Asian" and "Hawaiian/Pacific Islander"), while historical data are presented in the "Asian/Pacific Islander" category. Those who report more than one race are presented in the "Multi-race" category.